NUMBER 1—SEPTEMBER 1995

X-ray and neutron powder diffraction from $Rb_3C_{60}(NH_3)_x$ and $Li_3C_{60}(NH_3)_x$ By R. Durand, W. K. Fullagar, G. Lindsell, P. A. Reynolds and J. W. White	1
Inelastic neutron scattering and superconductivity of Rb ₃ C _{so} (NH ₃) _x By C. J. Carlile, R. Durand, W. K. Fullagar, P. A. Reynolds, F. Trouw and J. W. White	19
Rotational relaxation and collisional energy transfer. Calculations based on a new fitting law	17
By Mikhail L. Strekalov	39
Density profiles of chemically reacting fluids in slit-like pores. Integral equation approach By A. Trokhymchuk, O. Pizio, S. Sokolowski and D. Henderson	53
Configurational statistics for isolated square-well chain molecules: exact results for short chains By Mark P. Taylor	73
Structural investigation of liquid formic acid. X-ray and neutron diffraction, and reverse Monte Carlo study By P. Jedlovszky, I. Bakó, G. Pálinkás and J. C. Dore	87
The direct Hype resonance spectrum of $CF_3^{15}Cl$ in its vibrational state $v_6 = 1$ By Hauke Harder, Helmut Dreizler and Dušan Papoušek	107
A direct method for determination of chemical potential with molecular dynamics simulations.	107
Part 2. Mixtures By Richard L. Rowley, Matthew W. Schuck and John C. Perry	125
Molecular simulation in a pseudo grand canonical ensemble	
By Manoj Mehta and David A. Kofke	139
Research Note	
Parameterizing a polarizable intermolecular potential for water By John Brodholt, Marco Sampoli and Renzo Vallauri	149
NUMBER 2—10 OCTOBER 1995	
Third-order theory of forced 4f \rightarrow 5d two-photon transitions By L. Smentek	159
Parallel Gibbs-ensemble simulations By L. D. J. C. LOYENS, B. SMIT and K. ESSELINK	171
Group theoretical classification of resonance states of mixed valence polynuclear clusters By V. P. COROPCEANU, M. E. GUERRERO and V. IA. GAMURARI	185
Motion of the water molecules and phase transitions in Sr[Fe(CN) ₅ NO]*4H ₂ O studied by proton NMR	7.50
By J. Tritt-Goc	193
Microstructure and phase behaviour of a mixed-dimer amphiphile By D. R. Kuespert, V. Muralidharan and M. D. Donohue	201
Determination of excess Gibbs free energy of quantum mixtures by path integral Monte Carlo simulations	
By A Litt and T I Beck	225

19F nuclear magnetic shielding tensor of CH ₃ F By T. ENEVOLDSEN and J. ODDERSHEDE	235
C—NO ₂ dissociation energies and surface electrostatic potential maxima in relation to the impact sensitivities of some nitroheterocyclic molecules	
By P. Politzer and J. S. Murray	251
A study of classical and quantum dynamics of protons in polycrystalline 2,5-dinitrobenzoic acid	267
By W. MEDYCKI and S. IDZIAK	257
A molecular dynamics study of heavy water steam By J. Martí, J. A. Padró and E. Guàrdia	263
The NO dimer: ¹⁵ N isotopic infrared spectra, line-widths, and force field By A. R. W. McKellar, J. K. G. Watson and B. J. Howard	· 273
Measurement of speed dependent rotational relaxation rates using a microwave spectrometer with a circular waveguide. Studies on nitrous oxide By T. KÖHLER and H. MÄDER	287
A simple formalism for the analysis of NMR in the presence of exchange By M. GOLDMAN	301
	301
On the importance of core polarization in heavy post-d elements: a pseudopotential calibration study for X ₂ H ₆ (X = Si, Ge, Sn, Pb)	217
By A. Nicklass and H. Stoll	317
*	
NUMBER 3—20 OCTOBER 1995	
Trans-stilbene in methanol solution. On the effect of flexible atomic charges in computer simulations By A. LAAKSONEN, J. WANG and R. J. BOYD	327
Analysis of homonuclear RF gradient NMR spectroscopy By Y. ZHANG, W. E. MAAS and D. G. CORY	347
Spectroscopic properties for the $^{1}\Sigma^{+}$ ground state of AuCl. A scalar relativistic coupled cluster study By P. Schwerdtfeger	359
Quantum chemical studies of the solvation of the hydroxide ion By A. R. GRIMM, G. B. BACSKAY and A. D. J. HAYMET	369
Calculation of free energy for molecular crystals by thermodynamic integration	
By L. A. BAEZ and P. CLANCY	385
By I. CACELLI and A. RIZZO Associating fluids with four bonding sites against solid surfaces: Monte Carlo simulations	397
By C. J. Segura and W. G. Chapman	415
First-order Coulomb interaction energies for atoms and diatomic molecules By R. J. WHEATLEY	443
Stability of the nematic phase for the hard ellipsoid fluid By M. P. Allen and C. P. Mason	467
Application of superspace symmetry to optical and magnetic resonance spectra of incommensurably modulated crystals	
By G. ZWANENBURG and E. DE BOER	475
Intermolecular force field and approximate equilibrium structure of various complexes containing one or two rare gas atoms from microwave spectroscopic constants By R. P. A. BETTENS, R. M. SPYCHER and A. BAUDER	487
New bands of the MgO $A^1\Pi - X^1\Sigma^+$ and $a^3\Pi_{0,1} - X^1\Sigma^+$ systems by Faraday laser magnetic	40/
Presonance spectroscopy By P. Mürtz, H. Thümmel, C. Pfelzer and W. Urban	513
A photophysical study of micellization of cetyltrimethylammonium bromide in urea-water binary mixtures	
By C. Carnero Ruiz	535

NUMBER 4-NOVEMBER 1995

Special Issue: Douglas Henderson-A Life in Statistical Mechanics

Foreword	
By George Jackson	547
Douglas Henderson: a life in statistical mechanics	5.40
By John A. Barker	549
The misadventures of a NAFTA Scientist: physics and phun in Canada, the United States, and Mexico By Douglas Henderson	551
Simulation of self-assembly and lyotropic liquid crystal phases in model discotic solutions	221
By Richard G. Edwards, J. R. Henderson and Robin L. Pinning	567
Vapour-liquid equilibria in two-dimensional Lennard-Jones fluids: unperturbed and substrate- mediated films	
By Shaoyi Jiang and Keith E. Gubbins	599
Computer modelling of the 4-n-alkyl-4'-cyanobiphenyls adsorbed on graphite: energy minimizations and molecular dynamics of periodic systems By D. J. CLEAVER, M. J. CALLAWAY, T. FORESTER, W. SMITH and D. J. TILDESLEY	613
Free energy model for the inhomogeneous hard-body fluid: application of the Gauss-Bonnet theorem	
By Yaakov Rosenfeld	637
Density profiles of a double square-wall model of a chemically associating fluid near a hard wall By Orest Pizio, Andrij Trokhymchuk and Stefan Sokolowski	649
Inhomogeneous hard homonuclear molecules	
By Jacqueline Quintana	665
Development of periodic order in disordered surfactant-solution phases By I. DORNIC and B. WIDOM	675
Non-equilibrium simulations By William G. Hoover and Oyeon Kum	685
Extended irreversible thermodynamics: an unfinished task	
By L. S. García-Colín	697
Ferroelectric phase transition in simple dipolar systems By J. S. Høye and G. Stell.	707
The structure and dielectric properties of polar solvents By W. RONALD FAWCETT	715
Micellar solutions with added salt. A Monte Carlo and modified Poisson-Boltzmann study By M. Lanza Amaro, L. B. Bhuiyan and C. W. Outhwaite	725
The double layer at the interface between a simple metal and an aqueous solution	1 440
By W. SCHMICKLER and E. LEIVA	737
Non-neutrality in a charged capillary By Wat Yin Lo and Kwong-Yu Chan	745
Monte Carlo and HNC/MSA results for an asymmetrical electrolyte in an external electrical field of spherical geometry	
By Léo Degrève and Marcelo Lozada-Cassou	759
Fast moment methods for general potentials in molecular dynamics By E. R. SMITH	769
Density and charge correlations in water By A. D. Trokhymchuk, M. F. Holovko and K. Heinzinger	797
An analytical model of water with sticky spheres of tetrahedral symmetry By L. BLUM and F. VERICAT	809
Excluded volume for a pair of linear chains of tangent hard spheres with an arbitrary relative orientation	00)
By Dave C. Williamson and George Jackson	819

Contact force between hard spheres immersed in a sticky hard sphere solvent By J. N. HERRERA-PACHECO and J. F. ROJAS-RODRÍGUEZ	837
Phase-stability lines, spinodals and distribution functions for binary immiscible mixtures By S. TOXVAERD and E. VELASCO	845
Structure of variable-width square-well fluids from the reference hypernetted chain equation By Alejandro Gil-Villegas, Carlos Vega, Fernando del Río and Anatol Maldevsky	857
Carbon-13 chemical shift tensors of carboxylic acids: GIAO calculations in acetic acid + methylamine dimer	045
By Julio C. Facelli, Zhengtian Gu and Ann McDermott The near-critical microscopic viscosity of binary liquid mixtures: 2-butoxyethanol + water at the lower critical endpoint	865
By Patricia J. Clements, James Bowers, Brian Brocklehurst and Ian A. McLure .	873
Scaling properties of the capillary-wave model with interfacial bending rigidity By A. ROBLEDO and C. VAREA	879
Young's law with gravity By E. M. BLOKHUIS, Y. SHILKROT and B. WIDOM	891
Density fluctuations in random sequential adsorption based on mixing of configurational species By Howard Reiss and Pierre Schaaf	901
The usefulness of restrictions for variational ground state lower bounds of a simple quantum spin lattice	701
By Joel H. Sebold and J. K. Percus	907
Cation transport in lithium sulphate based crystals By Mauro Ferrario, Michael L. Klein and Ian R. McDonald	923
Effective pairwise potential for simulations of adsorbed platinum By Steven Y. Liem and Kwong-Yu Chan	939
Polarization interaction in relation to structure of liquid metals By M. BLAZEJ, N. H. MARCH and F. FLORES	951
NUMBER 5—10 DECEMBER 1995	
On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates	959
On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates By ATTILA G. CSÁSZÁR and N. C. HANDY Natural embedding of 𝒜 ₅ ≡ 𝒯 group in SU(m ≤ n) × 𝒮 ₁₂ NMR spin algebras. II. Role of λ 𝑓⁄¬module decompositions over {[λ']} in determining [¹¹B] ₁₂ (SU(4) × 𝑓⁄ ₁₂) aspects of [¹¹BH] ₁₂ ¹² , [¹¹B²D] ₇₂ ² exo-cage ions	959
On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates By ATTILA G. CSÁSZÁR and N. C. HANDY Natural embedding of 𝒜 ₅ ≡ 𝒯 group in SU(m ≤ n) × 𝒯 ₁₂ NMR spin algebras. II. Role of λ 𝒯 _n -module decompositions over {[λ']} in determining [¹¹B] ₁₂ (SU(4) × 𝒯 ₁₂) aspects of [¹¹BH] ₁₂ ^{2−} , [¹¹B²D] ₁₂ ^{2−} exo-cage ions By F. P. TEMME On the polarizabilities of the doubly charged ions of group IIB	
On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates By ATTILA G. CSÁSZÁR and N. C. HANDY Natural embedding of 𝒪 ₅ ≡ 𝒯 group in SU(m ≤ n) × 𝒪 ₁₂ NMR spin algebras. II. Role of λ 𝒪 ₇ -module decompositions over {[λ']} in determining [¹¹B] ₁₂ (SU(4) × 𝒪 ₁₂) aspects of [¹¹BH] ₁₂ ² , [¹¹B²D] ₁₂ ² exo-cage ions By F. P. TEMME On the polarizabilities of the doubly charged ions of group IIB By N. C. Pyper, C. G. Pike, P. Popelier and P. P. Edwards The role of three-body interactions in the adsorption of argon in silicalite-1	981 995
On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates By ATTILA G. CSÁSZÁR and N. C. HANDY Natural embedding of 𝒜₅ ≡ 𝒯 group in SU(m ≤ n) × 𝒯₁₂ NMR spin algebras. II. Role of λ 𝒯-module decompositions over {[λ']} in determining [¹¹B]₁₂(SU(4) × 𝒯₁₂) aspects of [¹¹BH]²₂⁻, [¹¹B²D]²⁻₂ exo-cage ions By F. P. TEMME On the polarizabilities of the doubly charged ions of group IIB By N. C. Pyper, C. G. Pike, P. Popelier and P. P. Edwards The role of three-body interactions in the adsorption of argon in silicalite-1 By FÉLIX FERNÁNDEZ-ALONSO, ROLAND JM. PELLENQ and DAVID NICHOLSON Calculation of shielded Coulomb potential in a mixture of multipoles	981 995 1021
On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates By ATTILA G. CSÁSZÁR and N. C. HANDY Natural embedding of 𝒪 ₅ ≡ 𝒢 group in SU(m ≤ n) × 𝒪 ₁₂ NMR spin algebras. II. Role of λ 𝒪 ₇ -module decompositions over {[λ']} in determining [¹¹B] ₁₂ (SU(4) × 𝒪 ₁₂) aspects of [¹¹BH] ₁₂ ² , [¹¹B²D] ₁₂ ² exo-cage ions By F. P. TEMME On the polarizabilities of the doubly charged ions of group IIB By N. C. Pyper, C. G. Pike, P. Popelier and P. P. Edwards The role of three-body interactions in the adsorption of argon in silicalite-1 By FÉLIX FERNÁNDEZ-ALONSO, ROLAND JM. PELLENQ and DAVID NICHOLSON	981 995
On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates By ATTILA G. CSÁSZÁR and N. C. HANDY Natural embedding of 𝒜₅ ≡ 𝒯 group in SU(m ≤ n) × 𝒯₁₂ NMR spin algebras. II. Role of λ 𝒯₂-module decompositions over {[λ']} in determining [¹¹B]₁₂(SU(4) × 𝒪₁₂) aspects of [¹¹BH]²₂⁻, [¹¹B²D]²₂⁻ exo-cage ions By F. P. TEMME On the polarizabilities of the doubly charged ions of group IIB By N. C. PYPER, C. G. PIKE, P. POPELIER and P. P. EDWARDS The role of three-body interactions in the adsorption of argon in silicalite-1 By FÉLIX FERNÁNDEZ-ALONSO, ROLAND JM. PELLENQ and DAVID NICHOLSON Calculation of shielded Coulomb potential in a mixture of multipoles By BEDAMATI DAS and PINAKI GUPTA-BHAYA Study of slow molecular motions in solution using off-resonance irradiation in homonuclear NMR. 1. Long dipolar correlation times By HERVÉ DESVAUX, CLAIRE WARY, NICOLAOS BIRLIRAKIS and PATRICK BERTHAULT Study of slow molecular motions in solution using off-resonance irradiation in homonuclear NMR. II. Fast chemical exchange processes	981 995 1021 1031 1049
On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates By ATTILA G. CSÁSZÁR and N. C. HANDY Natural embedding of 𝒪₂ ≡ 𝒯 group in SU(𝑛 ≤ 𝑛) × 𝒪₁₂ NMR spin algebras. II. Role of 𝑃 𝒪₂—module decompositions over {[𝑃]} in determining [¹¹Β]₁₂(SU(4) × 𝒪₁₂) aspects of [¹¹ΒH]₁²/₂ −, [¹¹Β²D]²/₂ − exo-cage ions By F. P. TEMME On the polarizabilities of the doubly charged ions of group IIB By N. C. Pyper, C. G. Pike, P. Popelier and P. P. Edwards The role of three-body interactions in the adsorption of argon in silicalite-1 By FÉLIX FERNÁNDEZ-ALONSO, ROLAND JM. PELLENQ and DAVID NICHOLSON	981 995 1021 1031

Double-exchange interactions in the mixed-valence hexanuclear octahedral clusters $[Fe_6(\mu_3-X)_8(PEt_3)_6]^+~(X=S,Se)$ By Alessandro Bencini, Andrew V. Palii, Sergei M. Ostrovsky, Boris S. Tsukerblat	
and Myriam G. Uytterhoeven Molecular orientational motion in PCH5: computer simulations and models	1085
By S. Ye. Yakovenko, A. A. Muravski, G. Krömer and A. Geiger	1099
Correlation functions of hard-sphere chain mixtures: integral equation theory and simulation results By R. O'LENICK, X. J. Li and Y. C. CHIEW	1123
Water proton relaxation studies of air-water distributions in beds of randomly packed monodisperse glass microspheres	1137
By J. E. M. SNAAR and B. P. HILLS Linear dependence on chain length for the thermodynamic properties of tangent hard-sphere chains By YAOQI ZHOU, STEVEN W. SMITH and CAROL K. HALL	1157
Application of the rotation operator approach to selective excitation of coupled spin systems by a shaped radiofrequency pulse By JINYUAN ZHOU, LIYUN LI and CHAOHUI YE	1173
An ab initio study of the excited states of the molecular ions NF+ and PCI+	
By GAP-Sue Kim and David M. Hirst Formalized quantum mechanical Floquet theory and its application to sample spinning in nuclear magnetic resonance	1183
By T. O. LEVANTE, M. BALDUS, B. H. MEIER and R. R. ERNST	1195
Stark effect of the 15V 31 344·9 band of CS2 studied by sub-Doppler high-resolution spectroscopy By Masaya Ohtsuka, Kazutoshi Okada, Hajime Katô and Masaaki Baba	1213
Scaling properties of correlation energies of homonuclear diatoms By A. Grassi, G. M. Lombardo, N. H. March and R. Pucci	1229
Observation of strong Coriolis coupling in the infrared spectrum of Ar-CO By S. König, G. Hilpert and M. Havenith	1233
Vibrational quantum beats observed by Raman-induced optical Kerr effect By Tzer-Hsiang Huang and Chin-Hsien Wang	1249
Adiabatic transfer of net electron polarization to nuclear polarization By N. N. Lukzen and U. E. Steiner	1271
Rotational state selectivity in $N_2^+ X^2 \Sigma_z^+$ ($v^+=0$) by delayed pulsed field ionization spectroscopy via the $a''^1 \Sigma_z^+$ ($v'=0$) state	
By S. R. Mackenzie, F. Merkt, E. J. Halse and T. P. Softley	1283
Research Note	
The rotational partition function of diatomic molecules By G. P. Arrighini and C. Guidotti	1299
NUMBER 6—20 DECEMBER 1995	
Preliminary communication Self-diffusion in strongly driven flows: a non-equilibrium molecular dynamics study By András Baranyai and Peter T. Cummings	1307
A comparison of finite basis set and finite difference Hartree-Fock calculations for the BF, AlF and GaF molecules By J. KOBUS, D. MONCRIEFF and S. WILSON	1315
Spectroscopic constants and potential energy surfaces for the possible interstellar molecules AINC and AICN	
By BUYONG MA, YUKIO YAMAGUCHI and HENRY F. SCHAEFER III	1331
The structure of an associating hard core Yukawa fluid near a hard wall By A. Trokhymchuk, D. Henderson and S. Sokołowski	1339

Landau free energy, Landau entropy, phase transitions and limits of metastability in an analytical model with a variable number of degrees of freedom	
By R. M. LYNDEN-BELL	1353
Persistence time for bonds in a tetravalent network fluid By ROBIN J. SPEEDY and PABLO G. DEBENEDETTI	1375
Equation of state for two-dimensional fluids with hard cyclic n-mer molecules By M. J. MAESO and J. R. SOLANA	1387
Hypernetted chain calculation of static correlation function of macroions in solution using Allnatt equation	
By BEDAMATI DAS and PINAKI GUPTA-BHAYA	1397
Bond-number distribution of a solute molecule in the hard-sphere fluid By Y. YOSHIMURA	1419
Basis set convergence and performance of density functional theory including exact exchange contributions for geometries and harmonic frequencies	
By Jan M. L. Martin, Jamal El-Yazal and Jean-Pierre François	1437
Equation of state for the square-well chain fluid based on the dirner version of Wertheim's perturbation theory	
By Frederico W. Tavares, Jaeeon Chang and Stanley I. Sandler	1451
Osmosis and reverse osmosis in solutions: Monte Carlo simulations and van der Waals one-fluid theory	
By S. Murad, J. G. Powles and B. Holtz	1473
Exact results for isolated sticky chains By YAOQI ZHOU, CAROL K. HALL and GEORGE STELL	1485
Integral equation theory for the electrode-electrolyte interface with the central force water model. Results for an aqueous solution of sodium chloride	
By M. Vossen and F. Forstmann	1493
Use of computer algebra for the study of quadrupole spin systems By D. J. Isbister, Mangala S. Krishnan and B. C. Sanctuary	1517
•	1317
Research Note	
A model nematic liquid crystal revisited: some new phase diagrams from density-functional theory By P. I. C. TEIXEIRA and M. M. TELO DA GAMA	1537
Erratum	
The properties of inhomogeneous square-well mixtures in one dimension	
By P. A. Monson	1545
Index of Authors (with the titles of papers)	1547

